



Email : sales@scilabexport.com

Phone: +91-7082934803

Product Name :

Consolidation Test Apparatus

Product Code :

SLE/CE/57



Website: <https://www.scilabexport.com>, **Email:** sales@scilabexport.com

1226/1-5, Bengali Mohalla, Science Market | 133001, Haryana



Email : sales@scilabexport.com

Phone: +91-7082934803

Description :

Consolidation Test Apparatus (Product Code: SLE/CE/57) is a three-station steel loading bench used to consolidate soil specimens ahead of triaxial testing in geotechnical and soil mechanics laboratories. It consolidates three triaxial specimens at the same time for CU and CD tests under anisotropic conditions, which shortens testing time when only one compression machine is available. It is fabricated by **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, an OEM and engineering lab equipment manufacturer, at its own factory in Ambala, India, for university and consultancy laboratories.

Specifications

Parameter	Detail
Purpose	Consolidation stage of three triaxial specimens at the same time, for CU and CD tests in anisotropic conditions
Construction	Steel bench with three load frames and centering platens
Triaxial cells	For specimens 35 to 100 mm diameter
Other makes of cell	Usable if the cell has a centering hole 13 mm dia. × 3 mm deep
Loading	Weights on the centre hanger and on the lever hanger; frames kept light so no counterbalance is required
Overall dimensions (L × D × H)	1300 × 800 × 970 mm
Weight	145 kg (approx.)
Dial gauge	0.002 mm × 10 mm
Extension piece	40 mm long
Test forms	Pads of 50 for Consolidation Test Plot and for one-dimensional consolidation
Weight set	Gives 10 kg/cm ² on a 60 mm dia. specimen: 7 × 0.05, 5 × 0.1, 6 × 0.2, 6 × 0.5 and 5 × 1.0 kg/cm ²
To complete the set-up	Axial displacement gauges or transducers, beam loading device(s) and slotted weights
Product code	SLE/CE/57
Manufacturer	Jain Scientific Equipments Pvt Ltd (ScienceLab) — OEM
Country of origin	India (made in Ambala, Haryana)

What Is the Consolidation Test Apparatus Used For?

In consolidated-undrained (CU) and consolidated-drained (CD) triaxial tests, each specimen must first be consolidated under a controlled stress, a stage that can take many hours and would otherwise be tedious. The consolidation test apparatus is designed to consolidate three specimens at the same time, which saves time and space. The consolidation test apparatus is used to consolidate soil specimens ahead of triaxial testing in geotechnical and soil mechanics laboratories. It consolidates three triaxial specimens at the same time for CU and CD tests under anisotropic conditions, which shortens testing time when only one compression machine is available. It is fabricated by **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, an OEM and engineering lab equipment manufacturer, at its own factory in Ambala, India, for university and consultancy laboratories.

Website: <https://www.scilabexport.com>, **Email:** sales@scilabexport.com

1226/1-5, Bengali Mohalla, Science Market | 133001, Haryana



Email : sales@scilabexport.com

Phone: +91-7082934803