



Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803

**Product Name :**

Resuscitation Table Newborn With  
Accessories

**Product Code :**

SLE/RAE/13





Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803

## Description :

### DESCRIPTION:

Neonatal resuscitation table, mobile, with warmer and accessories

### SPECIFICATIONS:

Side handle for easy moving

Integrated support for 2 x 10 l oxygen cylinders

Side rail and IV pole for mounting accessories and equipment

Mobile resuscitation table for neonatal patients, with warmer

Sturdy construction, with 4 anti-static swivel castors and 2 brakes

Side panels, transparent acrylic resin, collapsible/foldable for complete accessibility

Vertical column with controls and display

With lower drawer for storage

### Table:

Mattress cover flame-retardant, waterproof and cleanable with

Surface 60 W x 76 L cm (minimum guaranteed dimensions)

Hospital-grade disinfection products

Mattress covering the entire table surface, thickness 5 cm

### Heating system:

Reflector and safety grid

Integrated cradle heating

Overhead radiant heater, fixed height

Radiant heating by quartz/ceramic elements, parabolic

Uniform heat distribution

### Lighting system:

With 2 x halogen additional spot examination lights

Integrated in the overhead radiant heater

### Modes:

Pre-warming function

Instant switch between manual and servo modes

Servo-controlled, electronic and driven by skin temperature

Manual

Skin temperature setting 34 – 38 °C, with 0.1 °C increments (servo mode)

Skin temperature sensor accuracy  $\pm 0.3$  °C

Power requirements 220 V / 50 Hz

Displayed parameters: mode (manual or servo), heating power (%), pre-set temperature, actual skin temperature, air temperature in the cradle

Audio-visual alarms for skin temperature, heating system and sensors failure

Display panel, integrated in the column, visualising working parameters and alarms

Power consumption 1,100 W

Manual and pre-heating settings 10 – 80 % by 10 % steps



Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803